



THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:

AUDIS C. BYRD, ET AL.

Serial No.: **10/601,407**

Filed: **June 23, 2003**

Title: **“SURFACE PULSE SYSTEM FOR
INJECTION WELLS”**

§ Group Art Unit: **3672**

§ Examiner: **Bryan A. Fuller**

§ Atty. Docket No: **HES 2003-IP-009687U1**

§
§
§
§
§

CERTIFICATE OF MAILING VIA EXPRESS MAIL

SER. NO.: **10/601,407**
ATTY. DOCKET NO.: **HES 2003-IP-009687U1**
GROUP ART UNIT: **3672**
EXAMINER: **BRYAN A. FULLER**

PURSUANT TO 37 C.F.R. § 1.10, I HEREBY CERTIFY THAT I HAVE INFORMATION AND A REASONABLE BASIS FOR BELIEF THAT THIS CORRESPONDENCE WILL BE DEPOSITED WITH THE UNITED STATES POSTAL SERVICE AS EXPRESS MAIL, POST OFFICE TO ADDRESSEE, ON THE DATE INDICATED BELOW, AND IS ADDRESSED TO:

MAIL STOP AMENDMENT
HONORABLE COMMISSIONER FOR PATENTS
P. O. Box 1450
ALEXANDRIA, VA 22313-1450.

Thomas Morrow
THOMAS MORROW

9-6-05
DATE

EXPRESS MAIL LABEL: **EV 448731623 US**

**RESPONSE UNDER 37 C.F.R. §1.111 TO
NON-FINAL OFFICE ACTION, MAILED MAY 4, 2005**

Dear Sir:

In response to the Office Action mailed on May 4, 2005 (the “Office Action”), please amend the above-identified application as follows:

- **Amendments to the Claims** are reflected in the listing of claims that begins on page 3 of this paper;
- **Remarks/Arguments** begin on page 9 of this paper;

- **Summary and Petition for Extension of Time to File this Response** begins on page 22 of this paper.